

PMFA L-Band

ВОЛОКОННО-ОПТИЧЕСКИЕ УСИЛИТЕЛИ

ТЕХ. ХАРАКТЕРИСТИКИ

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-4159
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://pritel.nt-rt.ru> || эл.почта: pei@nt-rt.ru

PMFA Series L-Band



POLARIZATION MAINTAINING OPTICAL FIBER AMPLIFIERS

PriTel's PMFA-L Series of Polarization Maintaining Optical Fiber Amplifiers are based on well-established diode pumped pure Er and Erbium-Ytterbium co-doped optical fiber technology.

Input/output monitor option has optical taps in addition to digital display of input and output power levels. Output optical tap monitor eliminates accidental burning of connectors while trying to analyze optical spectrum.

Certified short pulse performance is available as an option for pulsewidths as short as 1 ps in L-Band.

PMFA-xx model without power monitor option




PMFA-xx model with power monitor option

Specifications


	<u>PMFA-15-L</u>	<u>PMFA-20-L</u>	<u>PMFA-24-L</u>	<u>PMFA-27-L</u>
Saturated output power	15 dBm	20 dBm	24 dBm	27 dBm
Signal gain	>23 dB @ -20 dBm	>25 dB @ -20 dBm	27 dB @ 0 dBm	30 dB @ 0 dBm
Optical noise figure @ 1590 nm	< 4 dB @ -20 dBm	< 5 dB @ -20 dBm	< 6 dB @ 0 dBm	< 7 dB @ 0 dBm
Input power range	-30 to +10 dBm	-20 to +10 dBm	-10 to +20 dBm	0 to +20 dBm
Wavelength range	1570-1615 nm	1565-1615 nm	1570-1615 nm	1570-1615nm
Dimensions	10 cm x 26 cm x 28 cm	10 cm x 26 cm x 28 cm	10 cm x 26 cm x 36 cm	10 cm x 26 cm x 36 cm
Optical				
Gain medium	Er doped core pumped silica fibers for models PMFA-15 to PMFA-20		Er/Yb, double-clad silica fiber for models PMFA-23-L to PMFA-27-L	
Pump source	Diode laser (910-980 nm)			
Connectors	FC/APC (other connectors available upon request)			
Environmental				
Operating temperature	+15 to 35°C			
Storage temperature	-20 to 50°C			
Electrical/ Mechanical				
Operating Voltage	85-264 VAC at 47-63 Hz			
Power consumption	< 50 W			

Typical Performance of Polarization Maintaining Optical Fiber Amplifiers

Er doped, Core Pumped Fibers




Er/Yb, Cladding Pumped Fibers




Output Optical Spectrum @ 0 dBm Input

Model: PMFA-15-L




Output Optical Spectrum @ 0 dBm Input

Model: PMFA-24-L




Pump Current vs. Output Power

Model: PMFA-15-L



Pump Current vs. Output Power

Model: PMFA-24-L



По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-4159
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

Адрес: <https://pritel.nt-rt.ru> || эл.почта: pei@nt-rt.ru